













- Calkins C.O., Malavasi A. 1995. Biology and control of fruit flies (*Anastrepha*) in tropical and temperate fruits. *Rev. Bras. Frutic.* 17 (supl.): 36–45.
- Hsu J., Feng H., Wu W. 2004. Resistance and synergistic effects of insecticides in *Bactrocera dorsalis* (Diptera: Tephritidae) in Taiwan. *J. Econ. Entomol.* 97 (5): 1682–1688.
- Hu X.P., Duan J.J., Prokopy R. 1998. Effects of sugar/flour spheres coated with paint and insecticide on alighting female *Ceratitis capitata* (Diptera: Tephritidae) flies. *Fla. Entomol.* 81 (3): 318–325.
- Jones O.T., Casagrande E.D. 2000. The use of semiochemical-based devices and formulations in area-wide programmes: a commercial perspective. p. 285–293. In: "Area-Wide Control of Fruit Flies and Other Insect Pests (K. Tan, ed.). Pulau Pinang: Penerbit Universiti Sains Malaysia, 782 pp.
- Koren B., Yawetz A., Perry A.S. 1984. Biochemical properties characterizing the development of tolerance to malathion in *Ceratitis capitata* Wiedemann (Diptera: Tephritidae). *J. Econ. Entomol.* 77 (4): 864–867.
- Kovaleski A., Sugayama R.L., Malavasi A. 2000. Current status and perspectives for management of *Anastrepha fraterculus* (Wied.) in apple orchards in Brazil. p. 595–599. In: "Area-Wide Control of Fruit Flies and Other Insect Pests" (K. Tan, ed.). Pulau Pinang: Penerbit Universiti Sains Malaysia, 782 pp.
- LeOra Software. 1987. Polo-PC: A User's Guide to Probit or Logit Analysis. Berkeley: LeOra Software, 20 pp.
- Liburd O.E., Holler T.C., Moses A.L. 2004. Toxicity of imidacloprid-treated spheres to Caribbean fruit fly, *Anastrepha suspensa* (Diptera: Tephritidae) and its parasitoid *Diachasma mimorpha longicaudata* (Hymenoptera: Braconidae) in the laboratory. *J. Econ. Entomol.* 97 (2): 525–529.
- Orlando A., Sampaio A.S. 1973. Moscas-das-frutas. *Biologico* 39 (6): 143–150.
- Preetha G., Manoharan, T., Stanley S., Kuttalam S. 2010. Impact of chloronicotiny insecticide, imidacloprid on egg, egg-larval and larval parasitoids under laboratory conditions. *J. Plant Protection Res.* 50 (4): 535–540.
- Prokopy R.J., Jacome I., Pinero J., Guillen L., Fleischer F.D., Hu X., Aluja M. 2000. Post-alighting responses of Mexican fruit flies (Dipt. Tephritidae) to different insecticides in paint on attractive spheres. *J. Appl. Entomol.* 124: 239–244.
- Raga A., Yasuoka S.T., Amorim E.A., Sato M.E., Suplicy Filho N., Faria J.T. 1996. Sensibilidade de ovos de *Ceratitis capitata* (Wied., 1824) irradiados em dieta artificial e em frutos de manga (*Mangifera indica* L.). *Sci. Agric.* 53 (1): 114–118.
- Raga A., Sato M.E. 2005. Effect of spinosad bait against *Ceratitis capitata* (Wied.) and *Anastrepha fraterculus* (Wied.) (Diptera: Tephritidae) in laboratory. *Neotrop. Entomol.* 34 (5): 815–822.
- Raga A., Sato M.E. 2006. Time-mortality for fruit flies (Diptera: Tephritidae) exposed to insecticides in laboratory. *Arq. Inst. Biol.* 73 (1): 73–77.
- Reis Filho W. 1994. Controle químico das moscas-das-frutas – *Anastrepha fraterculus* (Wied., 1830) (Diptera: Tephritidae) em macieira. *Rev. Bras. Frutic.* 16 (1): 64–69.
- Salgado V.L., Sheets G.B., Watson G.B., Schmidt A.L. 1998. Studies on the mode of action of spinosad: the internal effective concentration and concentration dependence of neural excitation. *Pest. Biochem. Physiol.* 60 (2): 103–110.
- Salles L.A.B. 1995. Isca tóxica para o controle de adultos de *Anastrepha fraterculus* (Wied.) (Diptera: Tephritidae). *An. Soc. Entomol. Brasil* 24 (1): 153–157.
- Sampaio A.S., Rigitano O., Suplicy Filho N., Orlando A. 1966. Ensaio de combate as "moscas-das-frutas", em pessegueiro com aplicação de novos produtos. *Biologico* 32 (10): 213–216.
- Scoz P.L., Botton M., Garcia M.S. 2004. Controle químico de *Anastrepha fraterculus* (Wied.) (Diptera: Tephritidae) em laboratório. *Cienc. Rural* 34 (6): 1689–1694.
- Stelinski L.L., Liburd O.E., Whright S., Prokopy R.J., Behle R., McGuire M.R. 2001. Comparison of neonicotinoid insecticides for use with biodegradable and wooden spheres for control of key *Rhagoletis* species (Diptera: Tephritidae). *J. Econ. Entomol.* 94 (5): 1142–1150.
- Tomizawa M., Casida J.E. 2005. Neonicotinoid insecticide toxicology: mechanisms of selective action. *Annu. Rev. Pharmacol. Toxicol.* 45: 247–268.
- Thomas D.B., Mangan R.L. 2005. Nontarget impact of spinosad GF-120 bait sprays for control of the Mexican fruit fly (Diptera: Tephritidae) in Texas citrus. *J. Econ. Entomol.* 98 (6): 1950–1956.
- Vargas R.I., Millar N.W., Prokopy R.J. 2002. Attraction and feeding responses of Mediterranean fruit fly and a natural enemy to protein baits laced with two novel toxins, phloxine B and spinosad. *Ent. Exp. Appl.* 102: 273–282.
- Yee W.L., Alston D.G. 2006. Effects of spinosad, spinosad bait, and chloronicotiny insecticides on mortality and control of adult and larval Western Cherry fruit fly (Diptera: Tephritidae). *J. Econ. Entomol.* 99 (5): 1722–1732.
- Zucchi R.A. 2000. Espécies de *Anastrepha*, sinônimas, plantas hospedeiras e parasitoides. p. 41–48. In: "Moscas-Das-Frutas de Importância Econômica no Brasil: Conhecimento Básico e Aplicado" (A. Malavasi, R.A. Zucchi, eds.). Holos, Ribeirão Preto, 327 pp.
- Zucchi R.A. 2001. Mosca-do-mediterrâneo, *Ceratitis capitata* (Diptera: Tephritidae). p. 15–22. In: "Pragas Introduzidas no Brasil" (E.F. Vilela, R.A. Zucchi, F. Cantor, eds.). Holos, Ribeirão Preto, 173 pp.